

PROFIT BUILDER DISPLAY MERCHANDIZING



A CSW Industrials Company

Point-of-Purchase Supplier support program.




TABLE OF CONTENTS

Warranty

RectorSeal® 3 Year Warranty Shelf Talker	3
--	---

Condensate Management

Safe-T-Switch® Next Generation - POP Gondola Header	4
Safe-T-Switch® Condensate Management Solutions - Ratchet Demo	5
Aspen® M4R Condensate Removal Tank Pump - POP Gondola Header	6
RTP™ Condensate Removal Tank Pump - POP Gondola Header	7

Lineset Connection

PRO-Fit™ Quick Connect - Slat Wall Headed/Display	8
Flaretite® - POP Counter Display	9
Slimduct™ Central - 4ft Display	10
Slimduct™ - POP Display	11
Fortress® Central - 4ft Display	12
Fortress® - POP Display	13
Cover Guard™ Central - 4ft Display	14
Cover Guard™ - POP Display	15
Cover Guard™ - POP Countermat	16
Outset™ Seal + Jacket - POP Poster	17

Mini-split A/C accessories

48" Mini-split accessory display kit- POP Gondola Display	18
36" Mini-split accessory display kit- POP Gondola Display	19
Aspen® Pumps - POP Poster	20

Surge Protection

RSH™ Series - Gondola Header	21
RSH-50 - POP Counter Display	22

HVAC Air Distribution

TRUAire® Operational Register Demo Counter Display	23
TRUAire® - POP Gondola Header	24
Shoemaker® - POP Poster	25

Leak Protection

TripleGuard™ Overflow Sensor Interactive Display & Header	26
---	----

Coil Cleaning

RectorSeal® Brand Coil Cleaner Selector Gondola Header	27
--	----

RectorSeal offers the best standard warranty in the industry.

We continually update our focused and effective lineup of point-of-purchase product displays.

They are designed to promote both consumer confidence and additional sales.

Contact your RectorSeal Representative for information and ordering details.

Firestop Solutions

Metacaulk® Brand Gondola Header	28
---------------------------------	----

Aerosol Solutions

Aerosol Solutions Gondola Header	29
----------------------------------	----

Pipe Joining

RectorSeal® Brand Pipe Thread Sealant Selector Countermat	30
---	----

HVAC/Plumbing

Falcon® Water & Gas - POP Gondola Header Display	31
Falcon® Gas - POP Gondola Header Display	32
Falcon® Water - POP Gondola Header Display	33
RectorSeal® Plumbing Water Heater Solutions Countermat	34

General

RectorSeal® Brand Gondola Header	35
----------------------------------	----

Warranty Protection POINT OF PURCHASE



R50843B
Quantity 1



3 Year Warranty Shelf Talker - POP gondola shelf insert

FEATURES

- Promotes the best standard warranty in the industry
- Strong positioning
- Visual impact
- Underscores premium associated with RectorSeal vs. other manufacturers

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
10 mil white matte plastic

Talker Dimensions:
4" Round

Application:
Standard gondola shelf

Brand:



Condensate Management POINT OF PURCHASE



36" x 10"

R50727B
Quantity 1



Standard gondola not included.
Products sold separately.

Safe-T-Switch® Next Generation - POP gondola header

FEATURES

- New SS1, SS2, SS3 enhanced ratcheting float level adjustment.
- New versatile SC1 clean out device.
- Product Line overflow switch and in-line drain line cleaning capability.
- Specific application information.

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:

SAFE-T-SWITCH

Condensate Management POINT OF PURCHASE



R50993

Safe-T-Switch® Condensate Management Solutions - Ratchet Demo

FEATURES

- Low voltage condensate overflow shut-off switch
- Improved sensitivity and adjustability
- Ratcheting and float design minimizes nuisance shutdowns

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Dimensions:

15" x 10" x 10"

Application:

Sales Counter

Brands:

SAFE-T-SWITCH

nuLine
A/C Drain Line Cleanout

MightyPump

lineshot
A/C Drain Line Flush

A/C Drain Pump™


Condensate Management POINT OF PURCHASE



Aspen® Pumps M4R

Furnace & A/C Condensate Tank Pump







ASPEN PUMPS
 Quiet, low profile, easy installation & maintenance. Wall or floor mounted with 4 inlets provide complete versatility.

Product code	Model Name	Volts	Max. rec. head	Max. flow	Rating		Max. lift output
					amps	feet	
ASPM	ASPM 100 V10 R2	120	70.5'	40 US gal @ 10' head	4.2	1.8	74.5' @ 1.0 US GPM
ASPM	ASPM 100 V20 R2	208	30.0'	100 US gal @ 10' head	6.3	1.6	70.5' @ 1.0 US GPM
ASPM	ASPM 200 V10 R2	208	17.0'	100 US gal @ 10' head	6.3	1.5	74.5' @ 1.0 US GPM

rectorseal.com/tankpumps
 RectorSeal, the Aspen logo and trademarks are property of RectorSeal, LLC. All other marks are the property of their respective owners. RectorSeal and other trademarks are the property of RectorSeal, LLC. © 2014 RectorSeal, LLC. All rights reserved.

36" x 10"

R50697
Quantity 1



Standard gondola not included.
Products sold separately.

Aspen® M4R Condensate Removal Tank Pump - POP gondola header

FEATURES

- M4R product details and capabilities
- Installation visual
- Tank pump cutaway
- Extended product line offerings
- Electrical specifications
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:



Condensate Management POINT OF PURCHASE



RTP™ Series
Condensate Removal
Tank Pumps





Removable check valve

- 3 Inlet drain holes for convenient placement
- 1/2 gallon high impact ABS tank • Float arm design
- Rubber feet for stability • Built-in wall mounts

Product Code	Model Name	VOLT	RMTZ	Flowrate		Capacity/Gallons per hour at weight			Shutoff
				APPS	WATS	1/2" / 3/8"	3/8" / 1/2"	1/2" / 3/4"	
R5063	RTP50-150	150	60	1	60	44 gph, 238 gph	12 gph, 200 gph	60 gph, 116 gph	15 ft / 4.5 m
R5067	RTP50-150	150	60	2.2	150	124 gph, 300 gph	127 gph, 320 gph	124 gph, 198 gph	15 ft / 4.5 m
R5068	RTP50-230	230	60	1.25	125 x 150	160 gph, 320 gph	100 gph, 200 gph	110 gph, 160 gph	15 ft / 4.5 m

rectorseal.com/tankpumps

Rectorseal, the logo and other trademarks are property of Rectorseal, LLC. Its affiliation or its likeness and are protected by copyright, trademark, and other intellectual property laws, and may not be used without permission. Rectorseal reserves the right to change specifications without prior notice. ©2013 Rectorseal. All rights reserved. 8/13 (10/13)

36" x 10"

R50633
Quantity 1



Standard gondola not included.
Products sold separately.

RTP™ Condensate Removal Tank Pump - POP gondola header

FEATURES

- RTP product details and capabilities
- Installation visual
- Extended product line offerings
- Electrical specifications
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:

RTP™
SERIES

Lineset Connection POINT OF PURCHASE



24" x 10"

- Easy Push-in, **CONNECT IN SECONDS!**
- No Flaring or Brazing Needed
- Quick-Release Removal
- Airtight Seal with **DOUBLE O-RINGS**
- Compatible with All Major Refrigerants
- For Mini-Split and Unitary Residential Systems

RectorSeal.com

R50881
Quantity 1



Standard slat wall not included.
Products sold separately.

PRO-Fit™ Quick Connect - Slatwall headed/display

FEATURES

- Alternative to traditional flaring/brazing
- Push to connect versatility, and ease of application.
- Multiple size application compatibility

INCLUDES

- Wall Display • Hardware
- 15 peg hooks • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-24" x H-10"

Application:

Standard Slatwall

Brand:



Lineset Connection POINT OF PURCHASE



R50391P
Quantity 1



Products sold separately.

Flaretite® - POP counter display

FEATURES

- 12 peg display holds 36 skus
- Flaretite prevent leaks caused by galling, vibration, pulsation, and extreme temperature changes with ease of application.
- Multiple size application compatibility

INCLUDES

- Counter Display • Hardware
- 12 peg hooks • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Display Dimensions:

W-18" x H-24"

Application:

Sales Counter

Brand:



Lineset Ducting POINT OF PURCHASE



Slat wall conversion is available.

R51063
Quantity 1

Slimduct™ Central - 4ft Display

FEATURES

- POP product line selection
- Extended product cross sell

INCLUDES

- Display graphics • Hardware • Peg hooks
- Bins • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

(1)48" gondola with 16" min base shelf depth (required)

Overall Dimensions:

W-48" x H-54"

Application:

requires standard 48" gondola with pegboard (not included)

Brand:

SLIMDUCT

Lineset Ducting POINT OF PURCHASE



R51088
Quantity 1

Slimduct™ - Demo Board

FEATURES

- Complete offering of fittings
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
PVC

Overall Dimensions:
L-35" x H-23" x W-4"

Application:
Sales Counter

Brand:
SLIMDUCT™

Lineset Ducting POINT OF PURCHASE



Slat wall conversion is available.

R51067
Quantity 1

Fortress® Central - 4ft Display

FEATURES

- POP product line selection
- Extended product cross sell

INCLUDES

- Display graphics • Hardware • Peg hooks
- Bins • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

(1) 48" gondola with 16" min base shelf depth (required)

Overall Dimensions:

W-48" x H-54"

Application:

requires standard 48" gondola with pegboard (not included)

Brand:



Lineset Ducting POINT OF PURCHASE



R51086
Quantity 1

Fortress® - Demo Board

FEATURES

- Complete offering of fittings
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Overall Dimensions:

H-24" x W-24"

Application:

Sales Counter

Brand:



Lineset Ducting POINT OF PURCHASE



Slat wall conversion is available.

R51068
Quantity 1

Cover Guard™ Central - 4ft Display

FEATURES

- POP product line selection
- Extended product cross sell

INCLUDES

- Display graphics • Hardware • Peg hooks
- Bins • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

(1) 48" gondola with 16" base shelf depth (required)

Overall Dimensions:

W-48" x H-54"

Application:

requires standard 48" gondola with pegboard (not included)

Brand:

CoverGuard
ADJUSTABLE LINESET DUCTING

Lineset Ducting POINT OF PURCHASE



R51052
Quantity 1

Cover Guard™ - Demo Board

FEATURES

- Adjustable cover that allows for extra versatility when installing
- Complete offering of fittings
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
PVC

Overall Dimensions:
H-35" x W-24"

Application:
Sales Counter

Brand:



Lineset Ducting POINT OF PURCHASE



CoverGuard™
ADJUSTABLE LINESET DUCTING

Adjustable lineset ducts and fittings



RECTORSEAL
A DSM Industries Company


MODEL	SIZE (")	DESCRIPTION	WHITE	BROWN	GRAY
3CGDVC	3	48" Ducting	3CGDVC	3CGDVCB	3CGDVCG
CGDVC	4 1/4	48" Ducting	CGDVC	CGDVCB	CGDVCG
3CGDVC7B	3	78" Ducting	3CGDVC7B	3CGDVC7B	3CGDVC7B
CGDVC7B	4 1/4	78" Ducting	CGDVC7B	CGDVC7B	CGDVC7B
3CGCUP	3	Coupler	3CGCUP	3CGCUPB	3CGCUPG
CGCUP	4 1/4	Coupler	CGCUP	CGCUPB	CGCUPG
3CGWLT	3	Wall Inlet	3CGWLT	3CGWLTB	3CGWLTG
CGWLT	4 1/4	Wall Inlet	CGWLT	CGWLTB	CGWLTG
3CGEND	3	End Fitting	3CGEND	3CGENDB	3CGENDG
CGEND	4 1/4	End Fitting	CGEND	CGENDB	CGENDG
3CG90	3	90° Flat Ell	3CG90	3CG90B	3CG90G
CG90	4 1/4	90° Flat Ell	CG90	CG90B	CG90G
3CGSTI	3	Socket Inlet	3CGSTI	3CGSTIB	3CGSTIG
CGSTI	4 1/4	Socket Inlet	CGSTI	CGSTIB	CGSTIG
3CG45	3	45° Flat Ell	3CG45	3CG45B	3CG45G
CG45	4 1/4	45° Flat Ell	CG45	CG45B	CG45G
3CGV90	3	90° Inside Vertical Ell	3CGV90	3CGV90B	3CGV90G
CGV90	4 1/4	90° Inside Vertical Ell	CGV90	CGV90B	CGV90G
3CGV90	3	90° Outside Vertical Ell	3CGV90	3CGV90B	3CGV90G
CGV90	4 1/4	90° Outside Vertical Ell	CGV90	CGV90B	CGV90G
CGTEE	4 1/4	Tee	CGTEE	CGTEEB	CGTEEG
CGRDR	4 1/4	Reducer	CGRDR	CGRDRB	CGRDRG
3CGSWP	3	90° Sweep Ell	3CGSWP	3CGSWPB	3CGSWPG
CGSWP	4 1/4	90° Sweep Ell	CGSWP	CGSWPB	CGSWPG
3CGFLSM	3	Flexible Ell Small	3CGFLSM	3CGFLSMB	3CGFLSMG
CGFLSM	4 1/4	Flexible Ell Small	CGFLSM	CGFLSMB	CGFLSMG
3CGFLLR	3	Flexible Ell Large	3CGFLLR	3CGFLLRB	3CGFLLRG
CGFLLR	4 1/4	Flexible Ell Large	CGFLLR	CGFLLRB	CGFLLRG
3CGFLXA	3	Flexible Adaptor	3CGFLXA	3CGFLXAB	3CGFLXAG
CGFLXA	4 1/4	Flexible Adaptor	CGFLXA	CGFLXAB	CGFLXAG
3CGWFL	4 1/4	Wall Flange	3CGWFL	3CGWFLB	3CGWFLG

RECTORSEAL® 2601 Spemwick Drive, Houston, TX 77055 • 800-231-3345 • rectorseal.com

A DSM Industries Company. RectorSeal, the logo and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2015 RectorSeal, All rights reserved. RSD15-0124

FEATURES

- Provides maximum adjustability and expandability
- Offers all fittings necessary for installation



Multi-Stage Adjustably

4.5" Wide 3" Wide



R50112
Quantity 1

Cover Guard™ - POP Counter mat

FEATURES

- Adjustable cover that allows for extra versatility when installing
- Complete offering of fittings

• Contact your Rep or RSM for ordering information.

SPECIFICATIONS

Construction:

Plastic laminate over open cell rubber

Overall Dimensions:

W-20" x H-16"

Application:

Sales Counter

Brand:

CoverGuard
ADJUSTABLE LINESET DUCTING

Lineset Protection POINT OF PURCHASE



R50983P
Quantity 1

Outset™ Seal & Jacket - POP Wall Poster

FEATURES

- Covers unsightly wall penetrations while preventing potential air leakage and protecting linesets

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

Gloss printed paper.

Overall Dimensions:

H-36" x W-24"


Application:

Sales Wall

Brand:



48" Ductless A/C POINT OF PURCHASE



R50884
Quantity 1 Kit

48" Mini-split accessory display kit- POP gondola display

FEATURES

- RectorSeal® product awareness
- Complete cross sell related product selection

• INCLUDES

- Display Graphics • Literature
- Hardware • Peg hooks • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

(1) 48" gondola with pegboard (required)

Overall Dimensions:

W-48" x H-68"

Application:

Requires standard 48" Gondola with pegboard (not included)

Brand:

SAFE SWITCH

SLIMDUCT



Mighty Bracket

NOVENT

noKink

FIX-IT-FOOT

36" Ductless A/C POINT OF PURCHASE



Requires
Merchandise
Purchase

R50883
Quantity 1 Kit

36" Mini-split accessory display kit- POP gondola display

FEATURES

- RectorSeal® product awareness
- Complete cross sell related product selection

INCLUDES

- Display Graphics • Literature
- Hardware • Peg hooks • Instructions

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

(1) 36" gondola with pegboard (required)

Overall Dimensions:

W-36" x H-68"

Application:

Requires standard 36" Gondola with pegboard (not included)

Brand:

SAFE-T-SWITCH

SLIMDUCT




Mighty Bracket

NOVENT

NoKink

FIX-IT-FOOT




ASPEN
PUMPS

One Trusted brand, Reliable, Silent, Covering all applications
Une marque de confiance, fiable, silencieuse, couvrant toutes les applications



RECTORSEAL
A CSW Industrial Company



- 1 Maxi Orange**
100-250V, up to 153,000 BTU/hr, up to 1.5 GPH @ 49 ft head, 35 dB(A)
- 2 Mini Orange**
Univolt 100-250V, up to 54,600 BTU/hr, up to 1.6 GPH @ 33 ft head, 21dB(A)
Silent +, 230V, Up to 49,500 BTU/hr, up to 1.6 GPH @ 33 ft head, 19dB(A)
- 3 Mini Tank Pump**
230V, up to 157,000 BTU/hr, up to 1.6 GPH at 49 ft head, 35dB(A)
- 4 Mini Aqua**
Univolt 100-250V, up to 54,600 BTU/hr, up to 1.6 GPH @ 33 ft head, 21 dB(A)
Silent + 230V, up to 49,500 BTU/hr, up to 1.6 GPH @ 33 ft head, 19 dB(A)
- 5 Mini Lime**
Univolt 100-250V, up to 54,600 BTU/hr, up to 1.5GPH @ 33ft head, 25 dB(A)
Maxi Lime
230V, up to 157,000 BTU/hr, up to 2.9 GPH at 49 ft head, 35 dB(A)
- 6 Mini White Silent+**
Univolt, 100-250V, up to 54,000 BTU/hr, up to 6GPH @33 ft head, 19dB(A)
- 7 Mini White**
Univolt, 100-250VAC, up to 54,000 BTU/hr, up to 1.2 GPH at 33ft head, 21dB(A)



RectorSeal® 2601 Spenwick Drive, Houston, TX 77055 • 800-231-3345 • rectorseal.com
3255 Wyandotte St. East, Windsor, ON N8Y 1E9, Canada • 519-966-4901

A CSW Industrial Company. RectorSeal, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensor's and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2024 RectorSeal. All rights reserved. R51122-01/24

R51122P
Quantity 1 Kit

Aspen® Pumps - Poster display

FEATURES

- Aspen® Pumps product awareness
- Complete cross sell related product selection
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
Gloss printed paper

Overall Dimensions:
W-18" x H-16"

Application:
Sales wall

Brand:



Surge Protection POINT OF PURCHASE



36" x 10"

R50366H

Quantity 1



Standard gondola not included.
Products sold separately.

RSH™ Surge Protection, Voltage Monitoring - POP gondola header

FEATURES

- RSH brand awareness
- Extended application capabilities
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:



Surge Protection POINT OF PURCHASE



R50366D
Quantity 1



Display exclusive to RSH-50 device, sold separately.

RSH-50 Surge Protection Device - POP Counter Display

FEATURES

- RSH-50 brand features and capabilities
- Tiered tray holds 12 RSH-50 skus
- Refill with product code 96415
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

- Construction:**
Laminated corrugated
- Display Dimensions:**
W-7.5" x D-7.25" x H-11"
- Application:**
Sales counter
Gondola unit

Brand:



HVAC Air Distribution POINT OF PURCHASE



R50837
Quantity 1



TRUaire® operational register - POP demo display

FEATURES

- Hands on demo function
- Actual 102M 10x04 Registers (2)
- Visual Impact
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

- Construction:**
6mm PVC (black)
- Active Dimensions:**
H-18" x W-18" x D-6"
- Application:**
Sales counter
Standard gondola shelf

Brand:

TRUaire



36" x 10"

R50837G
Quantity 1



Standard gondola not included.
Products sold separately.

TRUaire® - POP gondola header

FEATURES

- TRUaire brand awareness
- Extended application capabilities
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:





R51108B
Quantity 1

Shoemaker - Banner

FEATURES

- Shoemaker brand awareness
- Extended application capabilities
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
13 oz. vinyl with grommets

Active Dimensions:
W-5' x H-3'

Application:
Sales wall

Brand:



Leak Protection POINT OF PURCHASE



R50882
Quantity 1



Standard gondola not included.
Products sold separately.

TripleGuard™ Active leak shut off sensor - POP gondola demo

FEATURES

- Interactive demo
- Strong positioning
- Visual impact
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
Laminated vinyl board

Active Dimensions:
H-34.5" x W-18" x D-12"

Application:
Standard gondola unit

Brand:



Coil Cleaner Selection POINT OF PURCHASE



36" x 10"

R50400H
Quantity 1



Standard gondola not included.
Products sold separately.

Coil Cleaner Selector Guide - POP gondola header

FEATURES

- Defines correct cleaner selection for any application
- Clear cleaner brand recognition
- Highlights cleaner features
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

- Construction:**
PVC
- Header Dimensions:**
W-36" x H-10"
- Application:**
Standard 36" or 48" gondola unit
- Brand:**
RectorSeal® Chemicals



Firestop Solutions POINT OF PURCHASE



36" x 10"

R50987
Quantity 1



Standard gondola not included.
Products sold separately.

Metacaulk® Firestop Solutions - POP gondola header

FEATURES

- One complete firestopping solution product line
- Metacaulk brand awareness
- Promotes consumer confidence and additional sales
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brands:

metacaulk®



36" x 10"

R50966
Quantity 1



Standard gondola not included.
Products sold separately.

Aerosol Solutions - POP gondola header

FEATURES

- RectorSeal® aerosol solutions
- Versatile product grouping
- Promotes consumer confidence and additional sales
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brands:

ZIPP

ZIPP II

GRIME-SOLV

DRAFT-BLOCK

Lets-Go

COLD GALVANIZING SPRAY

Pipe Thread Sealant POINT OF PURCHASE

PIPE THREAD SEALANT APPLICATION CHART
 Complete line of superior pipe thread sealant products. The right sealant for every application.

	5	T PLUS 2	TRU-BLU	BLUE+	7	21	5 SUB-ZERO	5 SPECIAL
Acids, dilute (5-10%)								
Acids, concentrated (10-90%)								
Alcohols, all								
Aromatic gases								
Amines, liquid								
Aliphatic solvents								
Aromatic solvents								
Caustic, dilute (5-10%)								
Caustic, concentrated (10-90%)								
Chlorinated solvents								
Coating oils (low aromatic)								
Diethyl ether								
Ethylene glycol (anti-freeze)								
Highly acidic liquid								
Greases (unheated 500 psi)								
Greases								
Gasoline								
Heating oils								
Hydraulic oils								
Hydraulic fluids, water/glycol								
Hydrogen, gaseous								
Hydrogen, liquid								
Hydrocarbons								
Insulation								
Kerosene								
Liquid Petroleum gases								
Mineral oils								
Natural gas								
Nitrogen, gaseous								
Perchloric solvents								
Polymers								
Soap, liquid								
Steam								
Hydrocarbons								
Water (hot or cold)								

© 2010 RectorSeal, LLC
 2000 Lynchburg Drive • Houston, TX 77058, USA • 800-231-3345 • Fax 800-441-0051 • rectorseal.com | 2020 RectorSeal 20, East • Windsor, ON N9Y 5Y1, Canada • 519-952-9851 | P.O. Box 2206 • Brisbane, QLD 4160, Australia • 1300 77 2878 • rectorseal.com.au

20" x 16" x 1/16"

R50876
 Quantity 1

RectorSeal® Pipe Thread Sealant Selector Guide - POP countermat

FEATURES

- Defines correct sealant for every application
- Clear cleaner brand recognition
- Complete line of sealant products
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:
 Plastic laminate over open cell rubber

Header Dimensions:
 W-20" x H-16" x 1/16"

Application:
 Sales Counter

Brand:





36" x 10"

R51070G

Quantity 1



Standard gondola not included.
Products sold separately.

Falcon Water and Gas Connection Solutions - POP gondola header

FEATURES

- Complete water and gas connection solutions
- Falcon brand awareness
- Promotes consumer confidence and additional sales
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:





36" x 10"

R51103G

Quantity 1



Standard gondola not included.
Products sold separately.

Falcon Gas Connection Solutions - POP gondola header

FEATURES

- Complete gas connection solutions
- Falcon brand awareness
- Promotes consumer confidence and additional sales
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:





36" x 10"

R51103W

Quantity 1



Standard gondola not included.
Products sold separately.

Falcon Water Connection Solutions - POP gondola header

FEATURES

- Complete water connection solutions
- Falcon brand awareness
- Promotes consumer confidence and additional sales
- *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:





20" x 16" x 1/16"

R51066
Quantity 1

RectorSeal® Plumbing Water Heater Solution - POP countermat

FEATURES

- Defines items for a water heater install
- Clear cleaner brand recognition
- Complete water heater solution

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

Plastic laminate over open cell rubber

Header Dimensions:

W-20" x H-16" x 1/16"

Application:

Sales Counter

Brand:





36" x 10"

R50745
Quantity 1



Standard gondola not included.
Products sold separately.

RectorSeal® Associated Brand - POP gondola header

FEATURES

- RectorSeal® brand awareness
- Versatile product grouping
- Promotes consumer confidence and additional sales
- Dual language

• *Contact your Rep or RSM for ordering information.*

SPECIFICATIONS

Construction:

PVC

Header Dimensions:

W-36" x H-10"

Application:

Standard 36" or 48" gondola unit

Brand:





A CSW Industrials Company

HVAC & PLUMBING DIVISION

RectorSeal provides industry-leading digital and print support materials for its extensive chemical and mechanical solutions that include:

- Technical Product Information
- Marketing Support Materials
- Engaging Product Demonstration Videos
- Informative SDS and Product Data Sheets
- On-demand and Live Training and Webinars
- Learning Management System (LMS) support via RectorSeal Academy
- Informative Distributor and Sales Representative Tools
- Industry-related Tradeshow and Events Information

For complete details, visit www.rectorseal.com

For the latest product enhancements, news, and updated information, please follow RectorSeal's social media channels.

 facebook.com/rectorseal

 linkedin.com/company/rectorseal

 twitter.com/rectorseal

 instagram/rectorseal

 youtube.com/rectorsealcorp

All information is believed to be current at the time of printing, but our policy is one of continuous development. RectorSeal makes no warranties, express or implied, as to its accuracy. RectorSeal reserves the right to discontinue, update or change the information at any time without notice or without incurring obligations.

RectorSeal® • 2601 Spenwick Drive, Houston, TX 77055, USA • 713-263-8001 • rectorseal.com

RectorSeal®, the logos and other trademarks are property of RectorSeal, LLC, its affiliates or its licensors and are protected by copyright, trademark and other intellectual property laws, and may not be used without permission. RectorSeal reserves the right to change specifications without prior notice. ©2024 RectorSeal. All rights reserved. R50907-0424